Google | crest factor   [Search] Advanced Search
                                                           Preferences

Web   Results **1 - 10** of about **1,310,000** for crest factor. (0.11 seconds)

[PDF] What Is The "**Crest Factor**" And Why Is It Used?
File Format: PDF/Adobe Acrobat - View as HTML
The **Crest Factor** is equal to the peak amplitude of a waveform divided by the. RMS value.
The purpose of the **crest factor** calculation is to give an analyst a ...
www.dliengineering.com/downloads/**crest**%20**factor**.pdf - Similar pages

Crest Factor
The **Crest factor**, also sometimes called the "peak-to-RMS-ratio", is defined as the ratio of
the peak value of a waveform to its RMS value. ...
www.dliengineering.com/vibman/**crestfactor**1.htm - 7k - Cached - Similar pages

Crest factor - Wikipedia, the free encyclopedia
DC voltages have a **crest factor** of 1 since the RMS and the peak amplitude are equal, and
it is the same for a square wave (of 50% duty cycle). ...
en.wikipedia.org/wiki/**Crest_factor** - 23k - Cached - Similar pages

[PDF] Understanding Power **Factor**, **Crest Factor**, and Surge **Factor**
File Format: PDF/Adobe Acrobat - View as HTML
This paper explains the technical terms of Power **Factor**, **Crest Factor**, ... because high
crest factor causes overheating of power supply components. ...
www.datacenterjournal.com/Tools/WhitePapers/file.asp?f=Understanding-Power-**Factor**-by-
APC.pdf&n=Unders... - Similar pages

Riding the **crest-factor** wave - 3/17/2005 - EDN
Crest factor is a unitless figure of merit that engineers use to describe a signal. Engineers
can use it to describe the purity of voltage, current, ...
www.edn.com/article/CA509573.html - Similar pages

[PDF] Tech Musings
File Format: PDF/Adobe Acrobat
1 – THE **CREST FACTOR** of any repetitive waveform is the ratio of its ... **crest factor**.
Crest factors above this. critical value will usually read low, ...
www.tinaja.com/glib/muse125.pdf - Similar pages

Crest factor analysis for complex signal processing
click here for article As the 21st century gains momentum, more and more of today's
communications systems are using designs based on digital modulation ...
rfdesign.com/mag/radio_**crest_factor**_analysis/ - 54k - Cached - Similar pages

Definition: **crest factor**
crest factor: The peak-to-rms voltage ratio of an alternating current (ac) signal. [T1.401-
1988]. These definitions were prepared by ATIS Committee T1A1. ...
www.atis.org/tg2k/_**crest_factor**.html - 2k - Cached - Similar pages

[PDF] POWER NOTES
File Format: PDF/Adobe Acrobat - View as HTML
temperatures in the transformer, voltage distortion and high **crest factor**. 2. Harmonics
have higher frequency than the fundamental (60Hz); the 5 ...
www.pge.com/docs/pdfs/biz/power_quality/power_quality_notes/harmonics.pdf -
Similar pages

Crest Factor Reduction
Broadband Wireless Solutions, Modem Designs, Information Appliances - Xilinx ,eSP is the
first web portal dedicated to providing comprehensive solutions ...

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>

| Google | G▾ | | Go ◆ | 🗐 | M ▾ | 🖼 ▾ | ☆ Bookmarks▾ | 📧 12 blocked | ᴬᴮᶜ✓ Check ▾ | AutoFill | Send to ▾ |

crest factor   [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

IEEE *Xplore* ®
RELEASE 2.3

☐ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "((crest factor)<in>metadata)"   ☑ e-mail   🖨 printer friendly
Your search matched **227** of **1583645** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((crest factor)<in>metadata)   [Search ⟩]

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

[view selected items]   Select All   Deselect All   View: **1-25** | 26-50 | 51-75 | 76-100

☐ 1. **Crest factor minimization in the frequency domain**
Solomou, M.; Evans, C.; Rees, D.;
Instrumentation and Measurement, IEEE Transactions on
Volume 51, Issue 4, Aug. 2002 Page(s):859 - 865
Digital Object Identifier 10.1109/TIM.2002.803510

AbstractPlus | References | Full Text: PDF(650 KB)   IEEE JNL
Rights and Permissions

☐ 2. **An UPS with proper crest factor and efficiency for computer loads**
El-Bakry, M.A.; Aly, A.E.-M.M.; Khalil, H.S.; Shehata, S.A.;
Energy Conversion Engineering Conference, 1997. IECEC-97. Proceedings of the 32nd
Intersociety
Volume 3, 27 July-1 Aug. 1997 Page(s):1726 - 1731 vol.3
Digital Object Identifier 10.1109/IECEC.1997.656682

AbstractPlus | Full Text: PDF(372 KB)   IEEE CNF
Rights and Permissions

☐ 3. **Simple valley-fill self-oscillating electronic ballast with low crest factor using pulse-frequency modulation**
Seidel, A.R.; Bisogno, F.E.; Pappis, D.; Dalla Costa, M.A.; do Prado, R.N.;
Industry Applications Conference, 2003. 38th IAS Annual Meeting. Conference Record of the
Volume 2, 12-16 Oct. 2003 Page(s):779 - 784 vol.2

AbstractPlus | Full Text: PDF(438 KB)   IEEE CNF
Rights and Permissions

☐ 4. **Crest factor minimisation in the frequency domain**
Solomou, M.; Evans, C.; Rees, D.;
Instrumentation and Measurement Technology Conference, 2001. IMTC 2001. Proceedings of
the 18th IEEE
Volume 2, 21-23 May 2001 Page(s):1375 - 1381 vol.2
Digital Object Identifier 10.1109/IMTC.2001.928297

AbstractPlus | Full Text: PDF(544 KB)   IEEE CNF
Rights and Permissions

☐ 5. **Improving crest factor of electronic ballast-fed fluorescent lamp current using pulse frequency modulation**
Jooho Song; Joong-Ho Song; Choy, I.; Ju-Yeop Choi;
Industrial Electronics, IEEE Transactions on
Volume 48, Issue 5, Oct. 2001 Page(s):1015 - 1024
Digital Object Identifier 10.1109/41.954566

AbstractPlus | References | Full Text: PDF(200 KB)   IEEE JNL
Rights and Permissions

6. **Crest factors of complementary-sequence-based multicode MC-CDMA signals**
Byoung-Jo Choi; Hanzo, L.;
Wireless Communications, IEEE Transactions on
Volume 2, Issue 6, Nov. 2003 Page(s):1114 - 1119
Digital Object Identifier 10.1109/TWC.2003.819040

AbstractPlus | References | Full Text: PDF(395 KB)   IEEE JNL
Rights and Permissions

7. **Distortionless crest factor reduction for forward link CDMA**
Chen, N.; Zhou, G.T.;
Signal Processing Advances in Wireless Communications, 2005 IEEE 6th Workshop on
5-8 June 2005 Page(s):294 - 297
Digital Object Identifier 10.1109/SPAWC.2005.1505919

AbstractPlus | Full Text: PDF(207 KB)   IEEE CNF
Rights and Permissions

8. **Crest-factor analysis of carrier interferometry MC-CDMA and OFDM systems**
Wunder, G.; Paterson, K.G.;
Information Theory, 2004. ISIT 2004. Proceedings. International Symposium on
27 June-2 July 2004 Page(s):426
Digital Object Identifier 10.1109/ISIT.2004.1365463

AbstractPlus | Full Text: PDF(240 KB)   IEEE CNF
Rights and Permissions

9. **Crest factor considerations in MC-CDMA with carrier interferometry codes**
Natarajan, B.; Nassar, C.R.;
Communications, Computers and signal Processing, 2001. PACRIM. 2001 IEEE Pacific Rim
Conference on
Volume 2, 26-28 Aug. 2001 Page(s):445 - 448 vol.2
Digital Object Identifier 10.1109/PACRIM.2001.953665

AbstractPlus | Full Text: PDF(304 KB)   IEEE CNF
Rights and Permissions

10. **Synthesis of low-crest waveforms for multicarrier CDMA system**
Ho, T.F.; Wei, V.K.;
Global Telecommunications Conference, 1995. Conference record. Communication Theory
Mini-Conference, GLOBECOM '95., IEEE
13-17 Nov. 1995 Page(s):131 - 135
Digital Object Identifier 10.1109/CTMC.1995.502946

AbstractPlus | Full Text: PDF(280 KB)   IEEE CNF
Rights and Permissions

11. **Crest-factor minimization using nonlinear Chebyshev approximation methods**
Guillaume, P.; Schoukens, J.; Pintelon, R.; Kollar, I.;
Instrumentation and Measurement, IEEE Transactions on
Volume 40, Issue 6, Dec. 1991 Page(s):982 - 989
Digital Object Identifier 10.1109/19.119778

AbstractPlus | Full Text: PDF(584 KB)   IEEE JNL
Rights and Permissions

12. **Crest-factor study of MC-CDMA and OFDM**
Byoung-Jo Choi; Ee-Lin Kuan; Hanzo, L.;
Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th
Volume 1, 19-22 Sept. 1999 Page(s):233 - 237 vol.1
Digital Object Identifier 10.1109/VETECF.1999.797130

AbstractPlus | Full Text: PDF(300 KB)   IEEE CNF
Rights and Permissions

13. **On the phase sequence set of SLM OFDM scheme for a crest factor reduction**
Dae-Woon Lim; Seok-Joong Heo; Jong-Seon No; Habong Chung;
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing,
IEEE Transactions on]
Volume 54, Issue 5, May 2006 Page(s):1931 - 1935
Digital Object Identifier 10.1109/TSP.2006.871979

AbstractPlus | Full Text: PDF(232 KB)   IEEE JNL
Rights and Permissions

14. **Generalized bounds on the crest-factor distribution of OFDM signals with applications to code design**
Litsyn, S.; Wunder, G.;
Information Theory, IEEE Transactions on
Volume 52, Issue 3, March 2006 Page(s):992 - 1006
Digital Object Identifier 10.1109/TIT.2005.864433

AbstractPlus | Full Text: PDF(432 KB)   IEEE JNL
Rights and Permissions

15. **Charge pump power-factor-correction dimming electronic ballast**
Jinrong Qian; Lee, F.C.; Yamauchi, T.;
Power Electronics, IEEE Transactions on
Volume 14, Issue 3, May 1999 Page(s):461 - 468
Digital Object Identifier 10.1109/63.761690

AbstractPlus | References | Full Text: PDF(184 KB)   IEEE JNL
Rights and Permissions

16. **Logtone crest factors**
Van der Ouderaa, E.; Renneboog, J.;
Instrumentation and Measurement, IEEE Transactions on
Volume 37, Issue 4, Dec. 1988 Page(s):656 - 657
Digital Object Identifier 10.1109/19.9834

AbstractPlus | Full Text: PDF(180 KB)   IEEE JNL
Rights and Permissions

17. **Design of a microwave multisine source using allpass functions estimated in the Richards domain**
Van den Broeck, T.; Pintelon, R.; Barel, A.;
Instrumentation and Measurement, IEEE Transactions on
Volume 43, Issue 5, Oct. 1994 Page(s):753 - 757
Digital Object Identifier 10.1109/19.328891

AbstractPlus | Full Text: PDF(304 KB)   IEEE JNL
Rights and Permissions

18. **Spreading sequences for multicarrier CDMA systems**
Popovic, B.M.;
Communications, IEEE Transactions on
Volume 47, Issue 6, June 1999 Page(s):918 - 926
Digital Object Identifier 10.1109/26.771348

AbstractPlus | References | Full Text: PDF(188 KB)   IEEE JNL
Rights and Permissions

19. **Reducing the crest factor of a CDMA downlink signal by adding unused channelization codes**
Vaananen, O.; Vankka, J.; Viero, T.; Halonen, K.;
Communications Letters, IEEE
Volume 6, Issue 10, Oct. 2002 Page(s):443 - 445
Digital Object Identifier 10.1109/LCOMM.2002.804245

AbstractPlus | References | Full Text: PDF(177 KB)   IEEE JNL
Rights and Permissions

20. **Upper bounds on the statistical distribution of the crest-factor in OFDM transmission**
Wunder, G.; Boche, H.;
Information Theory, IEEE Transactions on
Volume 49, Issue 2, Feb. 2003 Page(s):488 - 494
Digital Object Identifier 10.1109/TIT.2002.807311

AbstractPlus | References | Full Text: PDF(470 KB)   IEEE JNL
Rights and Permissions

21. **Crest factor minimisation in FDM PSK systems**
Tan, B.T.; Some, Y.K.;

AbstractPlus | Full Text: PDF(196 KB)   IET JNL

☐ **22. Generalized constellations with low crest-factor for OFDM**
Wunder, G.; Boche, H.;
Information Theory, 2003. Proceedings. IEEE International Symposium on
29 June-4 July 2003 Page(s):7
Digital Object Identifier 10.1109/ISIT.2003.1228021

AbstractPlus | Full Text: PDF(223 KB)   IEEE CNF
Rights and Permissions

☐ **23. A new control scheme of Class-E electronic ballast with low crest factor**
Hyun-Son Chon; Dong-Yun Lee; Dong-Seok Hyun;
Industry Applications Conference, 2003. 38th IAS Annual Meeting. Conference Record of the
Volume 1, 12-16 Oct. 2003 Page(s):531 - 536 vol.1

AbstractPlus | Full Text: PDF(605 KB)   IEEE CNF
Rights and Permissions

☐ **24. Reducing the crest factor of CDMA downlink signal by adding unused channelization codes**
Vaananen, O.; Vankka, J.; Viero, T.; Halonen, K.;
Spread Spectrum Techniques and Applications, 2002 IEEE Seventh International Symposium on
Volume 2, 2-5 Sept. 2002 Page(s):455 - 459 vol.2
Digital Object Identifier 10.1109/ISSSTA.2002.1048583

AbstractPlus | Full Text: PDF(338 KB)   IEEE CNF
Rights and Permissions

☐ **25. Crest factors of Shapiro-Rudin sequence based multi-code MC-CDMA signals**
Byoung-Jo Choi; Tellambura, C.; Hanzo, L.;
Vehicular Technology Conference, 2002. VTC Spring 2002. IEEE 55th
Volume 3, 6-9 May 2002 Page(s):1472 - 1476 vol.3
Digital Object Identifier 10.1109/VTC.2002.1002861

AbstractPlus | Full Text: PDF(592 KB)   IEEE CNF
Rights and Permissions

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6529925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:55
S1	14	"4701873"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:47
S2	2	"4701873".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:02
S3	2	"6381623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:03
S4	4	("5809074" | "5835731" | "6075816" | "6252903").PN. OR ("6381623"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/12 22:06
S5	150	schenk.in. and heinrich.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:07
S6	661718	(error$1 or correction) and (extreme or maximum or minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:08
S7	29	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:25

S8	1014	(crest adj factor) and @ad<"20030121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:26
S9	128	S8 and (error$1 or correction$1) and envelope	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:26
S10	107	S9 and (extreme or maximum or minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:35
S11	0	S10 and 708/300-409.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:27
S12	2	S10 and "708"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:27
S13	5693	(local adj (extreme or maximum or minimum)) and (error$1 or correct$3) and @ad<"20030121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:35
S14	688	S13 and envelope$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:36

S15	48	S14 and crest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:36
S16	2	"20060115028"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:00
S17	2	"20050008094"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:01
S18	2	"6529925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:07
S19	0	chat.xa. and (correction adj vector$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:08
S20	8	chat.xa. and (vector$1) and 708/300-323.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:08
S21	4657	(group near5 (notification alert$3 warn$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:43
S22	315	((group near5 (notification alert$3 warn$3)) same (cellphone pda cell-phone mobile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:45

EAST Search History

S23	177	S22 and (@ad<"20020910" or @rlad<"20020910")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:52
S24	2	"7020681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:52
S25	1022	(crest adj factor$1) and @ad<"20030121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S26	528	S25 and (error$1 or correct$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:48
S27	102	S26 and window$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:48
S28	0	S27 and "708"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:49
S29	28	S27 and vector$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S30	80	reduc$3 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52

S31	5	(crest adj factor$1).ti,clm,ab. and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:54
S32	4	((rectangular or triangular or von-hann or gauss or hamming or blackman) near window$1) and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:56
S33	2	"6529925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:57
S34	15	("3952189" | "4843562" | "4967161" | "5636247" | "6125103" | "6128351" | "6130918" | "6178158" | "6314146").PN. OR ("6529925"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 11:57